

Overview RoHS Conformity Fuse Products


符合RoHS标准的保险丝产品一览

X = concentration above maximum concentration values as defined per SJ-T11363-2006

X = 浓度超出SJ-T11363-2006 1规定的最大浓度值

O = concentration below maximum concentration values as defined per SJ-T11363-2006

O = 浓度低于SJ-T11363-2006规定的最大浓度值

Product Range 产品范围	Type 类型	Surface Finish 表面处理	Series Production 生产系列		Toxic or Hazardous Substances and Elements 有毒或有害物质和元素											
			RoHS COMPLIANT		Pb	Cd	Hg	Cr6+	PBB	PBDE	DEHP	BBP	DBP	DIBP		
Surface Mount Fuses	UMT-H	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	UMF 250	Ni-Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USFF 1206	Au / Cu / Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	UST 1206	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MGA-S	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	UMZ 250	Au	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USF 0402	Ag / Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USF 0603	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USF 1206	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USI 1206	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	USN 1206	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	UAI 1206	Cu-Ni/Au	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MGA	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	UMT 250	Ni-Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	172876	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MKF	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MSB	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MKT	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMF 63	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMK 63	Ni-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMF 125	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMK 125	Ni-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMT 125	Cu-Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMZ 125	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMF 250	Cu / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	OMT	Cu / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	SMD-FST	Au / Ni / Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	SMD-SPT	Au / Ni / Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	SMD-FTT	Au / Ni / Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	HCF	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	HCSF	Cu-Sn/pb	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Surface Mount Fuses	MGA-A	Ni-Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	MST 250	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	MSTU 250	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	MXT 250	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	FRT 250 F/T	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	SPT 3.6x10	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	172321	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	172322	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Subminiature Fuses	172593	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O

Overview RoHS Conformity Fuse Products


符合RoHS标准的保险丝产品一览

X = concentration above maximum concentration values as defined per SJ-T11363-2006

X = 浓度超出SJ-T11363-2006 1规定的最大浓度值

O = concentration below maximum concentration values as defined per SJ-T11363-2006

O = 浓度低于SJ-T11363-2006规定的最大浓度值

Product Range 产品范围	Type 类型	Surface Finish 表面处理	Series Production 生产系列		Toxic or Hazardous Substances and Elements 有毒或有害物质和元素											
			RoHS COMPLIANT		Pb	Cd	Hg	Cr6+	PBB	PBDE	DEHP	BBP	DBP	DIBP		
			Miniature Fuses	SHF 6.3x32 + Pigtail	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O
Miniature Fuses	SHT 6.3x32 + Pigtail	Sn / Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FSF 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FST 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SP 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SPT 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FSK 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FSL 5x20 + Pigtail	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SA 5x20	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FSM 5x20	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FTT 5x20	Ni / Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	D1 (5X20)	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	D1TD (5X20)	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SUT 6.3x32 + Pigtail	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SUT-H 6.3x32 + Pigtail	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FST 6.3x32	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SP 6.3x32	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SPT 6.3x32	Ni	compliant / 符合	compliant / 符合	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FSF 6.3x32 (UL)	Ni	compliant / 符合	compliant / 符合	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	FST 6.3x32 (UL)	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	SA 6.3x32	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	A12FA 250V	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	A12FA 500V	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	A12FA 660V	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	172600	Sn	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	172582	Sn-Cu / Sn	compliant / 符合	compliant / 符合	X	O	O	O	O	O	O	O	O	O	O	O
Miniature Fuses	D0	Ni	compliant / 符合	1)	X	O	O	O	O	O	O	O	O	O	O	O

Overview RoHS Conformity Fuse Products



符合RoHS标准的保险丝产品一览

X = concentration above maximum concentration values as defined per SJ-T11363-2006

X = 浓度超出SJ-T11363-2006 1规定的最大浓度值

O = concentration below maximum concentration values as defined per SJ-T11363-2006

O = 浓度低于SJ-T11363-2006规定的最大浓度值

Product Range 产品范围	Type 类型	Surface Finish 表面处理	Series Production 生产系列		Toxic or Hazardous Substances and Elements 有毒或有害物质和元素										
					Pb	Cd	Hg	Cr6+	PBB	PBDE	DEHP	BBP	DBP	DIBP	
			Midget Fuse	ASO 10.3x38	Ni	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFNF	Cu-Ni/Au	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFUF	Cu-Ni/Au	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFMF	Cu-Ni/Au	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFDF	Cu-Ni/Au	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFSM	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Surface Mount PTC-Fuses	PFHT	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
RTS Thermofuse	RTS	Zn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Radial Leaded PTC-Fuses	PFRA	Sn / Ag	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O
Radial Leaded PTC-Fuses	PFRY	Sn	compliant / 符合	compliant / 符合	O	O	O	O	O	O	O	O	O	O	O

1) RoHS Exemption 7(a): Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)

1) RoHS 豁免 7 (a) : 高熔点类型焊料中的铅 (例如铅合金中含有85%重量或更高的铅)

2) The Environmental Friendly Use Period (EFUP) is 50 years for all products.

2) 环境友好使用周期(EFUP)对于所有产品均为50年。