

| | See below: Approvals and Compliances |
|--|--|
| Description - Glass fiber Polyester - Difficult to burn - Impact resistant | Characteristics - N-connector for TN-S - Protection 2-piece, transparent and sealable - Additional protection for terminal covers |
| - Outside earth permanently mounted | Weblinks pdf data sheet, html datasheet, Detailed request for product |
| Technical Data | |
| Rated Current le63 A @ 500 VACRated voltage Ue500 VAC | Rated Impulse Withstand Vol- 6kV tage Uimp |
| | |
| Rated isolation voltage Ui 1000 VAC | Conditioned Rated Short Cicuit 20kA @ 500VAC |
| Rated isolation voltage Ui 1000 VAC Rated Power Operating Fre- 50 Hz | |
| Rated isolation voltage Ui 1000 VAC | Conditioned Rated Short Cicuit 20 kA @ 500 VAC Current Rated short-time withstand 20 kA @ 500 VAC |

| Torrininalo | | |
|---|---|----|
| Element with Double Straps 6 - 50 mm ² | 6 - 50 mm ² Earth Connection | |
| | Earth Connection (outside) | M8 |

Approvals and Compliances


Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals


Compliances

The product complies with following Guide Lines

| Identification | Details | Initiator | Description |
|----------------|--------------------------------|-------------|---|
| CE | CE declaration of conformity | SCHURTER AG | The CE marking declares that the product complies with the applicable requirements laid down in the harmonisation of Community legislation on its affixing in accordance with EU Regulation 765/2008. |
| UK CA | UKCA declaration of conformity | SCHURTER AG | The UKCA marking declares that the product complies with the applicable requirements laid down in the British Amendment of Regulation (EC) 765/2008. |
| REACH | REACH | SCHURTER AG | On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force. |

Dimensions [mm]





All Variants

| Designation | Terminal | Order Number | E-No. |
|------------------|----------|--------------|-----------|
| SKS 63A DIII+0+E | Straps | 0009.0113 | 827135008 |
| Most Popular. | | | |

Availability for all products can be searched real-time:https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER

Packaging unit

1 Pcs

Accessories

Description



Covers_SKS Cover for SKS 63A



Cable_termination_SKS Cable termination for SKS 63A



Armored_pipe_cover_SKS Armored pipe cover for SKS 63A

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability and test each product selected for their own applications.